


**AMENDMENTS TO THE CLAIMS**

**This listing of claims will replace all prior versions and listings of claims in the application:**

**LISTING OF CLAIMS:**


1. (original): A photosensitive composition comprising (A-II) an onium salt having at least two cation parts in one molecule, (B-II) a compound having a polymerizable unsaturated group, and (C-II) a light-heat converting agent.
2. (original): A photosensitive composition according to claim 1, further comprising (D) a binder.
3. (original): A photosensitive composition according to claim 1, wherein the onium salt (A-II) is at least one selected from the group consisting of diazonium salts, iodonium salts, sulfonium salts, ammonium salts and phosphonium salts.
4. (original): A photosensitive composition according to claim 1, wherein the onium salt (A-II) is at least one of the following general formulae (II) and (III):

General formula (II)



in the general formula (II),  $\text{Ar}^1$  and  $\text{Ar}^2$  each represents independently an aromatic hydrocarbon having 6 to 18 carbon atoms, or a heterocyclic ring containing at least one hetero atom selected from nitrogen, oxygen and sulfur, and these may have at least one substituent selected from the group consisting of a halogen atom, an alkoxy group, a cyano group, a carbonyl group, an amino group, an amide group, a sulfonyl group, an alkyl group, an aryl group, an alkenyl group and a hydroxyl group;  $\text{R}^1$  to  $\text{R}^4$  each represents independently a hydrogen atom, halogen atom, alkoxy group, cyano group, carbonyl group, amino group, amide group, sulfonyl group, alkyl group, aryl group, alkenyl group or hydroxyl group; and  $\text{X}^-$  represents a monovalent anion;

General formula (III)



in the general formula (III),  $\text{Ar}^3$ ,  $\text{Ar}^4$ ,  $\text{Ar}^5$  and  $\text{Ar}^6$  each represents independently one of an aromatic hydrocarbon having 6 to 18 carbon atoms, and a heterocyclic ring containing at least one hetero atom selected from nitrogen, oxygen and sulfur, and these may have at least one substituent selected from the group consisting of a halogen atom, an alkoxy group, a cyano group, a carbonyl group, an amino group, an amide group, a sulfonyl group, an alkyl group, an aryl group, an alkenyl group and a hydroxyl group;  $\text{R}^5$  to  $\text{R}^8$  each represents independently a hydrogen atom, halogen atom, alkoxy group, cyano group, carbonyl group, amino group, amide

group, sulfonyl group, alkyl group, aryl group, alkenyl group or hydroxyl group; and  $X^-$  represents a monovalent anion.


5. (original): A photosensitive composition according to claim 1, wherein a counter anion of the onium salt (A-II) is selected from the monovalent anion group consisting of sulfonate anions, carboxylate anions and saccharine conjugated bases.

6. (original): A photosensitive composition according to claim 1, wherein the compound (B-II) is a compound having at least two end ethylenically unsaturated bonds.

7. (original): A photosensitive composition according to claim 2, wherein the binder (D) is a linear organic polymer which is water-insoluble and alkali aqueous solution-soluble.


8. (currently amended): A photosensitive composition according to claim 1, wherein the light-heat converting agent (C-II) is a dye represented by the following general formula (a):

General formula (a)



in the general formula (a),  $X^1$  represents a hydrogen atom, halogen atom,  $-NPh_2$ ,  $X^2-L^1$  or a group shown below;  $X^2$  represents an oxygen atom or sulfur atom; and  $L^1$  represents a hydrocarbon group having 1 to 12 carbon atoms, an aromatic ring having a hetero atom, or a hydrocarbon group having 1 to 12 carbon atoms containing a hetero atom, and the hetero atom denotes N, S, O, halogen atom or Se,

formula



~~wherein~~  $R^1$  and  $R^2$  each represents independently a hydrocarbon group having 1 to 12 carbon atoms, and  $R^1$  and  $R^2$  may be connected to each other to form a 5-membered or 6-membered ring;

$Ar^1$  and  $Ar^2$  each independently represent an aromatic hydrocarbon group which may have a substituent;

$Y^1$  and  $Y^2$  each independently represent a sulfur atom or a dialkylmethylene group having 12 or less carbon atoms;

$R^3$  and  $R^4$  each independently represent a hydrocarbon group having 20 or less carbon atoms which may have a substituent;

$R^5$ ,  $R^6$ ,  $R^7$ , and  $R^8$  each independently represent a hydrogen atom or a hydrocarbon group having 12 or less carbon atoms; and

$Za^-$  represents a counter anion.

9. (original): A heat mode compatible planographic printing plate precursor comprising a substrate having disposed thereon a recording layer containing the photosensitive composition according to claim 1.

AMENDMENT UNDER 37 C.F.R. § 1.111  
U.S. Application No.: 10/796,973

Attorney Docket No.: Q79845

10. (new) A planographic printing plate comprising a recording layer, wherein the recording layer comprises the photosensitive composition according to claim 1.